

TLG Technology Pte Ltd

1 Yishun Industrial Street 1 #03-31 A'POSH BizHub Singapore 768160

Tel: 6339 3988 Fax: 6339 1383 Website: www.tlg.sg Email: sales@tlg.sg

Item No.	OEM P/N	Manufacturer	Model	Description	Qty	Remarks	Photo No
1		ADAM	5017H		1	New	
2		Advance Electric Company Inc (Nagoya, Japan.	AS-5260-131CW	Pneumatic Valve	6	Used	101-1203
3		Advance Electric Company Inc (Nagoya, Japan.	AS-5260-131CiW	Pneumatic Valve Model: 1832	1	Used	101-1192/ 101-1202
4		Advance Electric Company Inc (Nagoya, Japan.	AS-5269-131P	Pneumatic Valve Press 0-3kg/cm ^f	1	Used	101-1427
5		Advance Electric Company Inc (Nagoya, Japan.	AV-4242-115	Solenoid Valve DC-24V Press:3kgf/cm ²	1	Used	
6		Advance Electric Company Inc (Nagoya, Japan.	AV-5260-131CW	Pneumatic Valve, Press 3kg/cm ^f	1	New/Used	101-1429
7		Advance Electric Company Inc (Nagoya, Japan.	AM-5260-131		1	Used	
8		Advance Electric Company Inc (Nagoya, Japan.	AV-5260-831	Pneumatic Valve, Press:0~4.5kg/cm ²	2	New	1239
9		Advance Electric Company Inc (Nagoya, Japan.	DS-7670-131	Pneumatic Valve Press 0-3kg/cm ^f	5	New/Used	1559/156 2/1568
10		Advance Electric Company Inc (Nagoya, Japan.	DS-7670-131H-4	Model:2757	1	New/Used	101-1569
11		Advance Electric Company Inc(Nagoya, Japan.	AV-4245-11	Electrical Valve, Volts:AC-100, 1A	2	1New/1used	1233
12		Advance Electric Company Inc (Nagoya, Japan.	FV-7279-631U3	Filter	1	used	101-1573
13		Advance Electric Company Inc (Nagoya, Japan.	SAM-3260-131T	Manual Valve Press 3kg/cm ²	2	used	
14		Advance Electric Company Inc (Nagoya, Japan.	SAT-3260-131T	Manual Valve	2	used	101-1187
15		Advance Electric Company Inc (Nagoya, Japan.	SAT-3260-131Ti	Manual Valve	4	used	101-1188
16		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-131AC	Pneumatic Valve Operate: 3-6kg/cm ²	7	Used	101-1193
17		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-131C	Pneumatic Valve Operate: 3-6kg/cm ²	2	Used	101-1194/ 101-1199
18		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-C3A	Pneumatic Valve Operate: 3-6kg/cm ²	2	used/one set with	101-1190
19		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-C5A	Pneumatic Valve Operate: 3-6kg/cm ²	2 set of 5	used	101-1185
20		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-Ci5A	Pneumatic Valve Operate: 3-6kg/cm ²	1 set of 5	used	101-1185
21		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-131T	Pneumatic Valve Operate: 3-6kg/cm ²	3+1	used/Special	101-1197
22		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-131CiZ3A		1	used/1 set of 3	
23		Advance Electric Company Inc (Nagoya, Japan.	SAV-3260-131TiWZ	Pneumatic Valve Model: 3048	1	used	101-1186
24		Advance Electric Company Inc (Nagoya, Japan.	SAV-3340-131-DZ	Model:3021 Lot:5J	1	New	101-1584

25		APET	Quartz bubbler	SR-IB-A7002-1	1	New	
26		APET	Quick Drain Valve	SR-VV-A0001-2	1	New	
27		AICHI Tokei	NF10-PTN-4		2	1used	101-1567
28		AUTRONICS	TZ4ST-24AC	TEMPERATURE CONTROLLER POWER 100-240VAC OUT-DC4-20 MA	1	New	101-15091
29		AUTRONICS	TZ4SP-14R	TEMPERATURE CONTROLLER POWER 100-240VAC OUT-DC4-20 MA	2	New	101-1592
30	SO-15339	BECO (Sankyo)	FS-103306-B				1025782-1
31	AH-210069A	CKD VALVE (Sankyo)	EV2500-008-C11		2	New	
32	AH-210004A	CKD VALVE (Sankyo)	4F210-08	5-port valve	2	New	
33	AH-210004A	CKD VALVE (Sankyo)	W1000-8		1	New	
34	A400-8-1331	CKD VALVE (Sankyo)			1	New	
35		CKD VALVE	EV2500-008-C13E2		1	New	
36		CKD VALVE	AMD21-10US-8-FX-4		3	3used0New	101-1430
37		CKD VALVE	AMD34-15BUS-10-3FX4	Main 0-0.5MPa, Operate: 0.2.-0.4MPa, Orifice :10	5	2New3Usd	1229
38		CKD VALVE	AMD34-12UF-10-FX4		2	New	101-1432
39		CKD VALVE	AMD35-15BUS-10-FX2	Main 0-0.5MPa, Operate: 0.3.- 0.4MPa,Orifice :10	4	Used	101-1431
40		CKD VALVE	MMD00-8BUS-4		11	Used	101-1402
41		CKD VALVE	MMD30-15BUS-10		20	Used	101-1401
42		CKD VALVE	GAMD34-15BUS-01-1FX	Operate: 0.2-0.4MPa Orifice: 10	6	Used	101-1433
43							101-1449
44		COSEL	P600E-24 R15A-24. 24V, 0.7A, AC100- 120V, 0.38A, 50-60Hz	DCPower supply	1	used	101- 1235/101- 1264
45	7-39-69070	Dainippon Screen (DNS)		Maker: COSEL, Power Supply, R Series	3	New	
46	5-F4-203143	Dainippon Screen (DNS)		DIW Heater(Quartz, L-shape)	9	2New/7Used	
47	5-39-05082	Dainippon Screen (DNS)	Spec:PW-5MA-SC	Measurement Pump	1	New	1306
48	5-F4-23848	Dainippon Screen (DNS)		Plastic Sheet(size 3 x 3 inch)	1	New	
49		Dainippon Screen (DNS)		Thermocouple(quartz shielded), inline heater(short)	2	New	
50	5-F4-01703	Dainippon Screen (DNS)		Thermocouple(quartz shielded), inline heater(Long)	7	New	
51	5-A6-00447-1	Dainippon Screen (DNS)		Robot Head	1	New	
52	7-F4-28780	Dainippon Screen (DNS)	Quart Bar	Level Bar(2)	2	New	
53	5-F4-01703	Dainippon Screen (DNS)	TEMP DETECTOR(Quartz)		9	2New/7Used	
54	7-F4-28779	Dainippon Screen (DNS)	Quart Bar	Level Bar(1)	2	New	101-1580
55	7-F3-25954	Dainippon Screen (DNS)		Chuck Hanger (25 wafers)	1 set	New	
56	7-F3-22332	Dainippon Screen (DNS)		BELLOWS PTFE	1	New	
57		Dainippon Screen (DNS)		PFA 52 slot 8" wafer carrier	2	New	101-1273
58		Dainippon Screen (DNS)		Touch panel controller	1	Used	101-1263

59		Dainippon Screen (DNS)		Spray Bar (Length 470mm)	1	New	
60	5-39-05779	Dainippon Screen (DNS)		Timing Belt	2	New	
61		Dainippon Screen (DNS)		Lead Screw(Length 830mm)	1	New	
62	5F305636	Dainippon Screen (DNS)		Sensor Bar(Robot)	1	New	
63		Dainippon Screen (DNS)		EMO	1	Used	
58		DKK Corporation	AR12-0-10		2	Used	101-1589
59	7-39-26475	DKK-TAO Corporation	AR1-211	DKK DI RESISTANCE PROBE	1	new	101-1420
60	10-000-0278	Imtec	Model 951	IMTEC MODEL 951 MICROPROCESSOR BASED, Temperature Controller	1	Refurbished	101-1278
61		Iwaki	Model AD-1N	Air Driven Pump Controller	1	used	1127
62	53900911	Iwaki	BV-DN-DST	Check Valve(Chemical Flow TYP), Back Pressure Valve	5	Used	
63		Iwaki	FW-40VEW	Bellow Pump	1	New(Mfg. 1270196	1287
64		Iwaki	FW-40T2	Bellow Pump	1	Used	1308
65	7-39-02824	Iwaki	EX-C45FF-100S27	Metering Pump	1	1New/5Used	
66	5-39-05082	Iwaki	FS-15HT	Bellow Pump	1		101-1266
67		Iwaki	FS-30HT1	Bellow Pump	1	New	
68		Iwaki	FS-30HT2	Bellow Pump	1	New	
69		Iwaki	FS-60HT	Bellow Pump	1	New	
70		Iwaki	MD30-FY-220N	Magnetic pump			
71		JELPC	JEL522S	VALVE 24V 0.15-0.8MPa	1	used	
72		KAIJO		Megasonic Power Generator, Digital Version	4	Used	101- 1550/101- 1552
73		KAIJO	Type: 98S	Ultrasonic Vibrator Max.Input: 2400W Freq: 950 kHz Max Temp: 70 C	1	used	
74	7-39-05640	KAIJO	Type:6848,Output:600W,Freq: 950 Khz, Source AC200V/6.5A/1 Ph, 50/60Hz	HI Megasonic 600 (Meg Generator, Analogue Version)	8	Used	
75		KEYENCE Japan (Sankyo)	PS-202		2	New	
76		KEYENCE Japan (Sankyo)	PS-206		2	New	
77		KEYENCE Japan (Sankyo)	PS2-61		2	New	1245
78	M 105066	KEYENCE Japan	IT2-50	Infrared Thermometer 0-500	1	used	101-1515
79		KITZ SCT	SCV KD4MS-SA-STD-316	Manual Diaphragm Valve,PFA-SEAT 1/4" Swaloge	1	New	101-1513
80		KITZ SCT	SCV KD6CS-SA-STD-316	Air Actuated Diaphragm Valve,PFA-SEAT 3/8" Swaloge	1	New	101-1516
81	539-04636	KITZ SCT	SCV KD4CS-SA-STD-316	Diaphragm Valve	1		
82		KLV CO LTD	KD-KLU	KD-500	2		1125
83	539-000828	KOGANEI	Solenoid Valve 300-4E1-03-IN- 53W, AL	Solenoid Valve, Spec: 300-4E1-03-IN- 53W, DC 24C	33	32New, 1 Used	
84		KOGANEI	Air Valve 300-4E1	DC 24V 0.15-0.9 mPa	8	New	101-1586
85		KOGANEI	YM3F01/030E1-PSL-3L		1	1new/3new 030E1	
86	5-39-06166	Komatsu Chemical Circulator	Komatsu Chemical Circulator				
87		Manostar	Exhaust Gauge (30mm H2O)	FR51	5	1New/4Used	1285
88		Mega Systems and Chemicals	TK-010 (3 pcs), TK-010P(2 pcs)	Photoelectric Liquid Sensor Ultrasonic. Output: 600W, Source:1 Phase AC, 210 6.5A 50/60 Hz	5	New	
89	TEL	MEGAWAVE	TYPE: ME-994P601BA21		2	S/N: A1821/A1831	1267/70/71







90		Millipore		Chemical Filtre Housing, 12" Cartridge	12	Used	
91		Millipore	MPGL20CB3	0.22 µm	3	used	1228
92		Millipore	WG3NS2RR4	Gas Filter(for IPA/Spin Dryer)	1	New	
93		Mitsubishi					101-1440
94		Mitsubishi	FX0-14MT-D	Transistor Unit	2	Used, 1 on Assy	1456
95		Mitsubishi	MR-J20A1	AC 100V-115V 50-60Ghz	1	used	101-1441
96		Mitsubishi	NF30-KB	AC220V I.C. 2.5 KA	1	New	
97		Mitsubishi	AD71-S2	Programmable controller (MELSEC)	5	New	101-1445
98		Mitsubishi	S-N20	Magnetic Contactor	2	2Used on assy	
99	5-39-51289	Mitsubishi	S-N21 (S-N21CX AC100V 2A2)	Magnetic Contactor	1	New	1134
100	5-39-50152	Mitsubishi	S-N28	Magnetic Contactor	1	New	101-1261
101		Mitsubishi	US-K305S	Solid State Contactor Rated Voltage: AC 100V	4(2 + 2)	Used(2 on assy)	101-1450
102		Mitsubishi	A set controller A3NCPUP	POWER SUPPLY ,CPU ,I/O PCB	1	Used	101-1446
103		Mitsubishi	A3ACPU P21		1	used	101-1252
104		Mitsubishi	A3Ncpup21	programmable controller cpu	2	Used	
105		Mean Well		DR-4525	1	Used	101-1600
106		Mitsubishi					
107		Mitsubishi Japan	A61P	Programmable controller (MELSEC)	5	New	1126
108		Mitsubishi Electric Corporation	E332ME BD627A099G52	PCB	1	New	
109				PCB	2	New	101-1483
110				PCB	1	New	101-1494
111		Mykrolis	YY4610102	TFE Encapsulated Viton O-ring. PFAENCVT344	27	New	101-1492
112		Nippon Pillar		PFA Pillar Fittings		Used	101-1496
113		Nippon Pillar		T- W4			101-1484
114		Nippon Pillar		T- W3			101-1490
115		Nippon Pillar		T- W2 PILLAR 6			101-1493
116		Nippon Pillar		ELBOW W4			101-1499
117		Nippon Pillar		ELBOW 19W6			101-1509
118		Nippon Pillar		ELBOW W2			101-1498
119		Nippon Pillar		ELBOW PILLAR 8			101-1510
120		Nippon Pillar		ELBOW W3			101-1504
121		Nippon Pillar		W4			101-1506
122		Nippon Pillar		W4			101-1508
123		Nippon Pillar		W4			101-1507
124		Nippon Pillar		19W6			101-1403
125		Nippon Pillar		19W6			
126		Nippon Pillar		19W6			
127		Nippon Pillar		DIW SHOWER(25 PVOF)			
128		Nitto Denko Corporation		Cartridge filter	1	used	101-1258
129		NKS	6810506	Range : 4 kgf/cm2	6	Used	
130		OHNO Bellows Ind. Co., LTD	SUS316L,B-EP,M54041,42	Valve(SS)	1	New	101-1259
131		OMRON (Sankyo)	E5AX-A	Temp. Controller	1	New	101-1436
132		OMRON	E5CS-R1P	TEMPERATURE CONTROLLER 3A 250 VAC	4	used	
133		OMRON	H5CN-XDN	Timer CONTACT: 3A 250V	1	New	101-1248
134		OMRON	K2CU-F40A-E	HEATER FAULT DETECTOR	1	New	101-1253
135		OMRON	61-F-GP-N(NT-ND-NC)	Floatless Level Switch	3	1New/2Used	1122
136	5-39-04367	OMRON		TEMPERATURE CONTROLLER	2	New	1283
137	7-39-03335(?)	ORIENTAL MOTOR CO.,LTD, JAPAN	UDX5114	5-PHASE DRIVE	10	New/used	1120
138	7-39-07175(?)	ORIENTAL MOTOR CO.,LTD, JAPAN	UDK5128N-M-G1	5-PHASE DRIVER	4	used	101-1606
139		ORIENTAL MOTOR CO.,LTD, JAPAN	VEXTA PK596AW1-T10, 5-Phase	Stepping Motor(Robot Arm)	1	New	101-1226

140	7-39-05508	ORIENTAL MOTOR CO.,LTD, JAPAN	VEXTA UPH596TG10-A, 5-Phase	Stepping Motor(Robot Arm)	2	New	
141		ORIENTAL MOTOR CO.,LTD, JAPAN	VEXTA A6259-9415TG 5 PHASE	Stepping Motor(Robot Arm)	6	New	
142		ORIENTAL MOTOR CO.,LTD, JAPAN	VEXTA UPH596G-A 5 PHASE	Stepping Motor(Robot Arm)	3	New	
143	5-39-03054	Riken Keiki	GD-D8-56, INST. NO. D79826-1, Sensor:HW-6211/IPA	IPA GAS DETECTION UNIT	1	Used	
144	AH-210067A	Sankyo	ST-41000-6JJ-Type	Thermocouple probe 6MTR	1	New	
145	AH-210067A	Sankyo	SPT-100-3-PT100	Temp. sensor	2	New	1244
146	AH-210001A	Sankyo(GF+ Signet)	(3-2819-1) (198844010)	Resistivity Probe	1	New	1243
147	AH-210013A	Sankyo	MKML-H-40	Air Manifused	3/Box	New	
148	A-301SS	Sankyo		Manifused	3/Pkg	New	101-1462
149		SCREEN	DSX-L481D	level controller 6 a gas connector	25	New	101-1247
150		SCREEN	DSX-L481D	Level controller 6 two gas connector	5	used	101-1246
151	5-F3-05636	SCREEN		Sensor Bar(Robot)	1	New	101-1608
152	539-03927	SCREEN		Optical switch	1	New	101-1453
153		SHIMADA ELECTRIC CD	D2G4	PACKING SIZE 14	1	New	101-1457
154		SHIMADEN JAPAN	SR91-8P-90-1Y0	Therm controller	5	1New/4used	101-1407
155		SMC	CDM2C32-65-C73CL	Max Press: 1.0 mpa 145 psi	2	used	101-1590
156		SMC	EX-110-SMB1		1	New	1455
157		SMC	EX-110-SMB2		1	New	
158		SMC	INA- 13-757	Press 0.01 MPA	1	New	101-1241
159		SMC	NVF-6340-5DZ	Solenoid Valve Pressure Switch Max Press:100kpa(1.02	2	New	
160		SMC	ISE4L-01-25	kgf/cm ²	5	Used	101-1597
161		SMC	PA-2310	Full Jet Pump	2	New	101-1598
162			VQ4150RY-5H-X6	0.7mpa	6	New	1295
163	5-39-08614	SMC/DNS	VQ4150RY-5H-03-X6	0.15~0.7 Mpa	3	2 NEW/1 USED	1237
164		SMC	VJ 3333	2~7 kgf/cm ²	1	5MZD?	1293
165		SMC	VJ3333Y	Press 0.2-0.7MPA	4	3 New 1 Used	101-1596
		SMC	VJ 3233Y	Solenoid Valve, 24VDC, Double.	4	3 New 1 Used	1294
166	7-39-05056	SMC	VJ 3133Y or VJ3133Y-5LOZ-X31	Solenoid Valve, 24VDC, Single	20	New	1296
167		SMC	VJ 3133-5MZD	Solenoid Valve, Single	14	New	1232
168		SMC	SY3133-5MZD	Solenoid Valve	18	New	101-1234
169		SMC	SY J3233-5MZD	Solenoid Valve	10	New	
170		SMC	SS5YJ3-32-03-M5	Air Manifused	1	New	1297
171		SMC	VFS2120-5E-01-F	Air Valve	4	3 New, 1 used	1291
172		SMC	NVF-83410-5DZ	Air Valve. volt:24VDC, 50/60 HZ, Temp:14F-140F, Press:22-150 PSI, Pilot: 22-150 PSI	2	New	1292
173		SMC	VXZ2240	Solenoid Valve	1	used	
174		SUNIX	FX4N-A3R	SUNIX FIBER OPTICS AMPLIFIER	1	New	
175				Temperature Probe(DIW Htr), Quartz(short)	2	New	1231
176				Temperature Probe(DIW Htr), Quartz	6	New	1390
177		TREBOR	Model:338-A007-03. PN#P20F000A0	Chemical Pump	1	New	101-1423
178		TREBOR	Magnum 620. No. AW0976	Chemical Pump	1	New(based bolt broken)	101-1424
179	539-04725	TOKYO KEISO	FA-2310, RC 3/8	Flow meter- water (10L/MIN)	5	2 New, 3 Used	
180		TOKYO KEISO	FA-3310, RC 3/8	Flow meter- water (10L/MIN)	2	1New/1used	
181		TOKYO KEISO	FA-3433-1 3/8	Flow meter (20L/MIN)	3	2 New, 1 Used	1400
182	539-03994	TOKYO KEISO	FA-2423, LC, RC 3/8	Flow meter for IPA cooling water (20L/MIN)	2	1 New, 1 Used	1406
183	539-50152A			Power Board	1	New	1385

184	739-27208	TOKYO KEISO		N2 Flowmeter, 30 slm	1	used	
185	539-02797	TOKYO KEISO		DIW FLOW METER	2	2 used/?New?	1407
186	539-01121	TOKYO KEISO		N2 Flowmeter, 50 slm	1	used	101-1447
187	5-F4-23848				1	New	101-1448
188	DT550M/1385 & 1397	Verteq Inc		Resistivity Monitor(1600-55A)	2	New	101-1438
189		Contact Sensor	L150204	ZC605A-XDA	1	New	101-1607
190			Manostar	71209	1	New	
191			Manostar	51209	5	New	
192			DR-4524	Input 100-240V 1.5A 50-60 Hz	1	Used	
193			BP2.3-12	BB Battery 12V,2.3AH/20HR	4	New	
194				Pressure Gauge	4	New	102-1574
195			PU40-32S	Power Box	2	New	101-1576
196			C-4189CL-u8(NO.25)BONN.LINK		1	used	
197				Exhaust meter	6	used	101-1250
198				3M(5QA)	1	used	101-1502
199				EMO	1	used	
200				Kubota	1	used	
201				Controller(LOGO)	1	used	
202		Yamada	DP10-BST	Diaphragm pump	1	New	
203		Yamada	NDP15-BST	Diaphragm pump	1	New	
204		Yamada	NDP20-BST	Diaphragm pump	1	New	
205		Yamada	DP-5F	Diaphragm pump	1	New	

[Chemical Monitor & Heat Exchanger]							
	Item	SC-1 Monitor			Item	恒温槽	
	Model	CS-131			Model	NE(S)333-7/GR(S)63	
	Q'ty	10 Set			Q'ty	10 Set	
	Maker	Horiba, Japan			Maker	Komatsu, Japan	
	Item	SPM Monitor			Item	恒温槽	
	Model	CS-150C(15MC)			Model	NE(S)363-7/GR(S)66	
	Q'ty	6 Set			Q'ty	12 Set	
	Maker	Horiba, Japan			Maker	Komatsu, Japan	
	Item	BHF(LAL) Monitor			Item	恒温槽	
	Model	CS-137			Model	NE(S)3123-7/GR(S)612	
	Q'ty	3 Set			Q'ty	7 Set	
	Maker	Horiba, Japan			Maker	Komatsu, Japan	
	Item	SC-1 Monitor			Item	HF Monitor	
	Model	KIS-21			Model	CM-210(In Line)	
	Q'ty	1 Set			Q'ty	10 Set	
	Maker	Kurabo, Japan			Maker	Horiba, Japan	
	Item	SPM Monitor			Item	HF Monitor	
	Model	KIS-23			Model	CM-200(Dip)	
	Q'ty	2 Set			Q'ty	3 Set	
	Maker	Kurabo, Japan			Maker	Horiba, Japan	







[IPA Dryer & Hot DI.W System]							
	Item	IPA Dryer			Item	Hot DI System	
	Model	8" * 50 sh			Model	PWH-144N	
	Q'ty	2 set			Q'ty	7set	
	Maker	Kimon, Japan			Maker	Komatsu, Japan	
	Item	Marongoni Dryer			Item	Hot DI System	
	Model	8" * 1 cassette(Manual)			Model	PWH-96N	
	Q'ty	판매완료			Q'ty	5set	
	Maker	L-tech, USA			Maker	Komatsu, Japan	
	Item	IPA Dryer			Item	Hot DI System	
	Model	6" * 2 cassette			Model	96 Kw	
	Q'ty	1 Set			Q'ty	3set	
	Maker	APET, Korea.			Maker	KYI, Korea	
	Item	Spin Rinse Dryer			Item	Hot DI System	
	Model	6" * 1 cassette			Model	144 Kw	
	Q'ty	판매완료			Q'ty	3set	
	Maker	Semitoool, Japan			Maker	KYI, Korea	
	Item	Spin Dryer			Item	Hot DI System	
	Model	6" * 2 cassette			Model	96 Kw	
	Q'ty	1 Set			Q'ty	1set	
	Maker	Morio Denki, Japan			Maker	Miura, japan	

[Pump & Damper]							
	Item	Bellows Pump			Item	Bellows Pump	
	Model	FS-15/30/60HT			Model	PE-10/20/40MA	
	Q'ty	5set/5set/2set			Q'ty	2set/8set/3set	
	Maker	Iwaki, Japan			Maker	Pillar, Japan	
	Item	Bellows Pump			Item	Bellows Pump	
	Model	FF-10BT/20BT/20HT			Model	AP-200	
	Q'ty	12set/15set/10set			Q'ty	3set	
	Maker	Iwaki, Japan			Maker	White Night, USA	
	Item	Bellows Pump			Item	Diaphragm Pump	
	Model	FF-40/BT/HT			Model	DP-10/20	
	Q'ty	6set/3set			Q'ty	10set/3set	
	Maker	Iwaki, Japan			Maker	Yamada, Japan	
	Item	Bellows Pump			Item	Metering Pump	
	Model	FA-2E			Model	CFD-8T	
	Q'ty	1 Set			Q'ty	7set	
	Maker	Iwaki, Japan			Maker	Iwaki, Japan	
	Item	Bellows Pump			Item	Metering Pump	
	Model	PS-10/20MA			Model	PW-10MA	
	Q'ty	2 s/2set			Q'ty	5set	
	Maker	Pillar, Japan			Maker	Pillar, Japan	

[Pump & Damper]							
	Item	Metering Pump			Item	Metering Pump	
	Model	EH -C60-			Model	ECH -	
	Q'ty	9set			Q'ty	8set	
	Maker	Iwaki, Japan			Maker	Iwaki, Japan	
	Item	Diaphramg Pump			Item	Damper	
	Model	PTFE 3/8"			Model	PD-30	
	Q'ty	판매완료			Q'ty	3set	
	Maker	Almatec,			Maker	Iwaki, Japan	
	Item	Auto Damper			Item	Auto Damper	
	Model	PDA-10/20H			Model	PDA-20/40W	
	Q'ty	7set/15set			Q'ty	5set/5set	
	Maker	Iwaki, Japan			Maker	Iwaki, Japan	
	Item	Auto Damper			Item	Auto Damper	
	Model	PA-20HB			Model	CFD-8T	
	Q'ty	2 Set			Q'ty	3set	
	Maker	Pillar, Japan			Maker	Yamada, Japan	
	Item	Levitro Pump			Item		
	Model	LEV300 etc			Model		
	Q'ty	6set			Q'ty		
	Maker	Iwaki, Japan			Maker		

	[Controller etc]						
	Item	Pump Controller			Item	Pump Controller	
	Model	APD-1			Model	SC-1	
	Q'ty	8set			Q'ty	6set	
	Maker	Iwaki, Japan			Maker	Iwaki, Japan	
	Item	Pump Controller			Item	Pump Controller	
	Model	AC-3			Model	FD-1/-2/-3	
	Q'ty	5set			Q'ty	20 set	
	Maker	Iwaki, Japan			Maker	Iwaki, Japan	
	Item	Pump Controller			Item	Pump Controller	
	Model	AC-1			Model	FDC-1	
	Q'ty	20 set			Q'ty	6 set	
	Maker	Iwaki, Japan			Maker	Iwaki, Japan	
	Item	Pump Controller			Item	Resistivity meter	
	Model	PB-10			Model	GC-96R	
	Q'ty	2 Set			Q'ty	5 Set	
	Maker	Pillar, Japan			Maker	COS, Japan	
	Item	Resistivity meter			Item	Resistivity meter	
	Model	HE-480R			Model	HE-960R-GC	
	Q'ty	판매완료			Q'ty	1 Set	
	Maker	COS, Japan			Maker	COS, Japan	



	[Bath & Tank]						
	Item	PTFE Tank		Item	PTFE Bath		
	Model	L/5L/10L/20L/25L/30L/50L/60		Model	Overflow / Single		
	Q'ty	Many		Q'ty	Many		
	Maker	Molding		Maker	Molding		
	Item	Quartz Bath(Chemical)		Item	Quartz Bath(QDR)		
	Model	8"*50sh		Model	8"*50sh		
	Q'ty	Many		Q'ty	Many		
	Maker	Welding		Maker	Welding		
	Item	Metering tank (PFA)		Item	Metering tank (PFA)		
	Model	0.5L/1.5L/2.5L/3.5L		Model	10~12 L		
	Q'ty	Many		Q'ty	Many		
	Maker	Welding		Maker	Molding		
	Item	Metering tank (PFA)		Item	Metering tank (PFA)		
	Model	40~50 L		Model	13 L(N2 Press tank)		
	Q'ty	Many		Q'ty	9 set		
	Maker	Molding		Maker	PFA Tank+PVC Cover		
	Item	PFA Vessel		Item	Vessel heater		
	Model	20 L		Model	20 L PTFE		
	Q'ty	2 set		Q'ty	5 set		
	Maker	Entegris, USA		Maker	Precess technology, USA		




[Heater & Flowmeter etc]						
	Item	CS Heater & Controller		Item	PFA Heater	
	Model	THE-30		Model		
	Q'ty	10 Set		Q'ty	8 set	
	Maker	Komatsu, japan		Maker	Heaterflux, USA	
	Item	In Line Heater		Item	Drain Cooling Tank	
	Model	6Kw, 220V		Model	13 L(N2 Press tank)	
	Q'ty	5 set		Q'ty	6 set	
	Maker	Korea		Maker	Molding	
	Item	Chemical Regulator		Item	Chemical Flowmeter	
	Model	1/4~1"		Model	1/4~1"	
	Q'ty	20 ea		Q'ty	10ea	
	Maker	Advance, Korea		Maker	TOFLCO	
	Item	Liquid Flowmeter		Item	Chemical Flowmeter	
	Model	1/4~1/2		Model	1/4~1"	
	Q'ty	Many		Q'ty	Many	
	Maker	MacMillan		Maker	Saginomiya	
	Item	Chemical Flowmeter		Item	Vortex Flowmeter	
	Model	1/4~1"		Model	1/4~1"	
	Q'ty	Many		Q'ty	Many	
	Maker	Tokyo Keiso		Maker	Tokico	

	[Valve etc]						
		Item	Air Valve			Item	Air Valve
		Model	1/4, 3/8, 1/2, 3/4, 1"			Model	1/4, 3/8, 1/2, 3/4, 1"
		Q'ty	Many			Q'ty	Many
		Maker	CKD, Japan			Maker	Advance, Japan
		Item	Manual/Cock Valve			Item	Manual/Cock Valve
		Model	1/4, 3/8, 1/2, 3/4, 1"			Model	1/4, 3/8, 1/2, 3/4, 1"
		Q'ty	Many			Q'ty	Many
		Maker	CKD, Japan			Maker	Advance, Japan
		Item	Auto Valve			Item	Air Valve
		Model	1/4~1"			Model	1/4~1"
		Q'ty	Many			Q'ty	Many
		Maker	Entegris, USA			Maker	Furon, Japan
		Item	Multi Block Valve			Item	Auto Valve
		Model	1/4~1"			Model	1/2~3/4"
		Q'ty	Many			Q'ty	Many
		Maker	CKD/Advance/Furon			Maker	Gemu, Germany
		Item	Manual/Cock Valve			Item	Diaphragm Valve
		Model	1/4~3/4"			Model	1/4~1"
		Q'ty	Many			Q'ty	Many
		Maker	Surpass, Japan			Maker	++GF++

[Valve, Fitting etc]							
	Item	QDR Valve			Item	3-Way Valve	
	Model	50A, 60A, 80A, 100A			Model	40A, 50A	
	Q'ty	Many			Q'ty	Many	
	Maker	CKD, Japan外			Maker	Advance, Japan外	
	Item	2-Way Drain Valve			Item	2-Way Drain Valve	
	Model	50A(2")			Model	32A	
	Q'ty	Many			Q'ty	Many	
	Maker	Advance, Japan外			Maker	CKD, Japan	
	Item	Pressure Guage			Item	DI Flowmeter	
	Model	PTFE(0~0.4MPa)			Model	PTFE, PFA	
	Q'ty	Many			Q'ty	Many	
	Maker	JAT or Supass			Maker	Tokyo Keiso, Japan	
	Item	Pillar Fitting			Item	Pillar Fitting	
	Model	Super300 type			Model	150(六角球形)	
	Q'ty	Many			Q'ty	Many	
	Maker	Pillar, Japan			Maker	Pillar, Japan	
	Item	Pillar Fitting			Item	Entegris Fitting	
	Model	PTFE(B) type高温			Model	擴管形	
	Q'ty	Many			Q'ty	Many	
	Maker	Pillar, Japan			Maker	Entegris, USA	

[Sensor etc]						
	Item	Temp. cotroller			Item	Temp. Controller
	Model	E5CK外			Model	RK400F
	Q'ty	Many			Q'ty	Many
	Maker	OMRON, Japan			Maker	RKC
	Item	Temp. Sensor			Item	Leak Sensor
	Model	PT100			Model	
	Q'ty	Many			Q'ty	Many
	Maker				Maker	TNT, Yamazake, etc
	Item	Reed Swich(近接)			Item	Level Sensor
	Model	12~24 mm(外經)			Model	
	Q'ty	Many			Q'ty	Many
	Maker	Omron, Autonics etc			Maker	Omron, Japan
	Item	N2 Level Sensor			Item	Solenoid valve
	Model	KML Seires			Model	通信 Type
	Q'ty	Many			Q'ty	Many
	Maker	CKD, Japan			Maker	SMC, Japan
	Item	通信 Kit			Item	Entegris Fitting
	Model	G71-OD16			Model	擴管形
	Q'ty	Many			Q'ty	Many
	Maker	Omron, Japan			Maker	Entegris, USA











[Robot & Movement etc]						
	Item	Transfer Robot		Item	Transfer Robot	
	Model	8" * 50sh		Model	6" * 1 Cassette	
	Q'ty	5 set		Q'ty	2 set	
	Maker	SES, Japan		Maker	SES, Japan	
	Item	Quartz Chuck		Item	PEEK Chuck	
	Model	H=420, 8" * 52sh		Model	8" * 52sh	
	Q'ty	5 set		Q'ty	25 set	
	Maker	SES, Japan		Maker	SES, Japan	
	Item	Quartz Wafer Guide		Item	PEEK Wafer Guide	
	Model	8" * 52sh		Model	8" * 52sh	
	Q'ty	10 Set		Q'ty	5 Set	
	Maker	SES, Japan		Maker	SES, Japan	
	Item	Mapping Sensor		Item	Servo Motor & Driver	
	Model	ASW-826		Model	100W/200W/400W	
	Q'ty	5 set		Q'ty	Many	
	Maker			Maker	OMRON/Panasonic	
	Item	Megasonic Controller		Item	Megasonic Controller&發振部	
	Model	UO 1000PMA(900W)		Model	W-357HP	
	Q'ty	4 set		Q'ty	2 set	
	Maker	Kokusai, Japan		Maker	Honda Elec, Japan	





[New Parts;신품]							
	Item	SC-1 Density Monitor			Item	SPM Monotor	
	Model	CS-131			Model	CS-150-1010	
	Q'ty	1 Set			Q'ty	1 set	
	Maker	Horiba, Japan			Maker	Horiba, Japan	
	Item	Bellows Pump			Item	Bellows Pump	
	Model	PS-10MA			Model	PS-20MA	
	Q'ty	1 set			Q'ty	1 set	
	Maker	Pillar, Japan			Maker	Pillar, Japan	
	Item	HF Monitor			Item	Gas Detector	
	Model	CM-210			Model	GD-K77D	
	Q'ty	3 Set			Q'ty	3 Set	
	Maker	Horiba, Japan			Maker	Niken Keiki, Japan	
	Item	Chemical Filter			Item	Chemical Filter	
	Model	WDFVATX2F			Model	EGDZHPX4F	
	Q'ty	1 set			Q'ty	1 set	
	Maker	Mycrolys			Maker	Mycrolys	
	Item	Air Valve			Item	Gas Filter	
	Model	AMD312-10BUP-8-0-4			Model	SGLF6101VM4M	
	Q'ty	20 ea			Q'ty	7 ea	
	Maker	CKD, Japan			Maker	PAUL	











	[New Parts:신품]						
	Item	Chemical Mixer			Item	Heat Exchange	
	Model	CS-131			Model	pHasor X	
	Q'ty	3 ea			Q'ty	1 set	
	Maker	Advance, Japan			Maker	Mycrolysis	
	Item	Pillar Fitting			Item	Metering Pump	
	Model	Super300 type, QZ Fitting			Model	PW-10MASG	
	Q'ty	Many			Q'ty	판매완료	
	Maker	Pillar, Japan			Maker	Pillar, Japan	
	Item	LED 螢光燈			Item	LED 螢光燈	
	Model	220V, 13W, 580L			Model	100~220V, 13W, 580L	
	Q'ty	7 ea			Q'ty	Many	
	Maker	安定器 一體形			Maker	安定器 別途形	
	Item				Item		
	Model				Model		
	Q'ty				Q'ty		
	Maker				Maker		
	Item				Item		
	Model				Model		
	Q'ty				Q'ty		
	Maker				Maker		







TLG Technology Pte Ltd

1 Yishun Industrial Street 1 #03-31 A'POSH BizHub Singapore 768160
 Tel: 6339 3988 Fax: 6339 1383 Website: www.tlg.sg Email: sales@tlg.sg

Item No.	OEM P/N	Manufacturer	Model	Description	Qty	Quality	Photo
1	AH-210001A	GF+Signet	(3-2819-1) (198844010)	Resistivity Probe	1	New	
2		KEYENCE Japan	PS-202		2	New	
3		KEYENCE Japan	PS-206		2	New	
4		KEYENCE Japan	PS2-61		2	New	
5	DT550M/1385 & 1397	Verteq Inc	1600-55A	Resistivity Monitor	2	New/Used?	
6	AH-210013A	Sankyo	MKML-H-40	Air Manifold	3/box	New	
7	A-301SS				3/pkt	New	
8	AH-210004A	CKD	W1000-8		1	New	
9	A400-8-1331	CKD			1	New	
10			M4KB2-08-10	Metal air manifold	1	New	
11		CKD	J400		2/pkt	New	
12	AH-210069A	CKD	EV2500-008-C11		2	New	
13	AH-210004A	CKD	4F210-08	5-port valve	2	New	
14		CKD	EV2500-008-C13E2		1	New	

15		Omron	E5AX-A	Temp. Controller	1	New	
16	SO-15339	BECO	FS-103306-B		1	New/Used	
17	AH-210067A		ST-41000-6JJ-Type	Thermocouple probe 6MTR	1	New/Used	
18	AH-210067A		SPT-100-3-PT100	Temp. sensor	2	New/Used	

Description	Model No.	Serial No.	Manufacturer	Balance	Picture
STRIPPER OR DEVELOPER SPARE, Servopack	SGDS-02A12A	D2129M367010007	YASKAWA	1	
STRIPPER OR DEVELOPER SPARE, Driver, Servopack	SGDS-02A12A	D010XD292710020	YASKAWA	1	
AC Servo motor	SGMJV-04ADL6C	1A1780191990049	YAKSAWA	1	
Servopack driver	SGDV-2R8A11B	DG183E288010001	YAKSAWA	1	
Air operated valve	AMD412-20BUP-16-0-4Y	-	CKD	1	
10" PTE filter cartridge for developer sink	CTFA01TPE	FG AT 1.0UM 10" C-0 E-FKM	Entegris	1	
OD15 x 1/4" Port (SMALL SLIENCER), slencer for Systems	-	-	-	7	
OD15 x 1/4" Port (SMALL SLIENCER), slencer for Systems	-	-	-	5	
OD22 x 1/4" Port (BIG SLIENCER), Sliencer for developer system	-	-	-	14	
Solenoid Valve	CKS310-08-KR	-	Samin	5	

Relay (24V DC, 9PINS, 5A)	MY2N-GS	-	-	11	
Regulator	ARP30-028	-	-	1	
Cylinder	CDM2E20-75	-	SMC	2	
Temperature Controller	TZ4ST-24C	-	Autonics	1	
DC Supply, DC24V	MSF1524	-	Orient Electronics	1	
Power Supply	S8JX-G15024CD	-	OMRON	1	

TLG
TECHNOLOGY



**....Advance Wafer Processing Equipment and 2nd Source Solutions for
Semiconductor Wafer and High Technology Industries....**

TLG TECHNOLOGY PTE LTD

1 Yishun Industrial Street 1, #03-31 A'POSH BizHub, Singapore 768160
Website: www.tlg.sg Email: sales@tlg.sg Tel: 65-6339 3988 Fax: 65-6339 1383

SEBA Fluid Control Products

Quality Fluid Control Products:

- **Flowmeter**
- **High Purity Valves**
- **Flow Switch**
- **Pressure Transmitter (PT Sensor/PT Gauge)**
- **PFA Tubing (Dupont Grade)**



Change the World with SEBA

SEBA INC. Company Overview

Overview

Company Overview

Company Name	SEBA INC.
CEO	Kim Jung Eun
The Number of Employees	150 Employees
The Date of Foundation	November, 1997
Major Business	Fluid Control Division: Flow-meter, Valve, Flow-switch, Pressure Gauge Electronics Division: Dispenser, Factory Automation System Motor Division: Flexwave Massage ECU / Lamp: Stop, Mood, Garnish, Dosuff, etc / TAS(Torque Angle Sensor), EPS / Motion Sensing Mood



Fluid Control Market

Enjoy your stylish business and Change the world with SEBA

SEBA responds quickly to rapidly changing environment

Semiconductor

- Flow-meter application suitable for chemical flow control in CCSS (Central Chemical Supply System) (joint dev with Samsung)
- Applied field: (SEC, Hynix, Fairchildsemi, Dongbusemi..)

LCD & Solar

- Cleaning/Photo equipments.. Flow-meter and PFA VALVE suitable for flow control
- Applied field: (LG Display, S-LCD, SMD...)
(Woongin solar, Singsung, Millinet...)

- Chemical & Plant flow-meter and pressure transmitter (Electronics and ultrasonic flow-meter)
- Applied field: (Samsung fine chemicals, Kumho petrochemical, Hyundai Heave Industries...)

General Industry

Fluid Control Products

SEBA's advanced technology and proprietary products have already been recognized by our customers. Based on these competitiveness, we are expanding our business into overseas markets. We will continue to lead the flow-meter and valve business through bold investment and continuous R & D and innovation.

Change the world



Product Line

Enjoy your stylish business and Change the world with SEBA



FLOWMETER

- High accuracy even wider range ($\pm 1\%$)
- Suitable for use with acids and alkaline
- Excellent resistance to pressure fluctuation and friction of fluid
(Measurement type: turbine, vortex, ultrasonic, electronic flow-meter)



HIGH PURITY VALVES

- Applicable PFA & PTFE material valve for all Chemical- Excellent reliability and durability (= more than 2 million times)
- Excellent for high temperature (180°C)
(Model: Auto/Manual Valve, Block Valve, Drain Valve, Special Valve)



SENSOR







- Applicable for all chemicals (HF)
- Various product line (Display integrated and separated)
(Model: MSP1000 ~ MSP7000 Series)

Change the world



SEBA-Flowmeter

Enjoy your stylish business and Change the world with SEBA

Item	Turbine Flowmeter	Ultrasonic Flowmeter	Vortex Flowmeter
Image		 <p style="text-align: center;">일반형 방폭형</p>	
Inner Structure			
Principle	The rotary turbine inside the flow meter measures the value of Flow meter by rotating the number of rotations in the turbine.	Sonic wave between two sensors installed outside the pipe measures the value of flow meter. The speed difference is detected by ultrasound,	When the current is generated, the flow meter's sensor is detecting the value of flow meter
Temp.	0 ~60°C (=일반용) / 0 ~150°C (=고온용)	0 ~ 80°C	0 ~ 70°C
Feature	Easy to measure micro-flow and precision	Easy to external installation of piping	Available in small amount of slurry environments
Material	PTFE, PVC, SUS 316L, SUS 304, 방폭형	일반형, 방폭형	PFA, SUS 304, PVC
Achievement	SAMSUNG SEMI, LG Display, SK Hynix SDC, BOE, TRULY, TIANMA, AUO,CSOT	SAMSUNG SEMI, SK Hynix, LG Display BOE,	LG Display, SDC, BOE, TIANMA, TRULY, CSOT, GVO,











Change the world



SEBA-Flowmeter

Enjoy your stylish business and Change the world with SEBA

CCSS ITEM

1	 SCTS-PE-B	PTFE (=Teflon) 60°C	PIPE WELDING [B]		25A, 32A, 40A, 50A	FLOW RANGE ACHIEVEMENT			
						SIZE	Marking	Flow Range (LPM)	
								MIN	MAX
2	 SCTS-PE-MP	PTFE (=Teflon) 60°C	PILLAR SUPER 300 [MP]		3/8", 1/2" 3/4", 1/1"	3/8"	005	1	5
							010	1	10
3	 SCTS-SL-PV(PU)-EXP	SUS 316L (EP, EX) 60°C	VCR, UNI-LOK [PV], [PU]		1/2", 3/4", 1/1"	1/2"	010	3	10
							020	3	20
4	 SCTS-SL-F-EXP	SUS 316L (EP, EX) 60°C	FLANGE [F]		3/4", 1/1", 1.1/41.1/2, 2/1, 2.1/2	3/4"	030	3	30
							050	5	50
5	 SCTS-PE-MP(F)-EXP	PTFE (=Teflon) (EX) 60°C	PILLAR SUPER 300, FLANGE		3/4", 1/1", 1.1/41.1/2, 2/1, 2.1/2	1/1"	100	5	100
							200	10	200
						40A	050	5	50
							300	10	300
						50A	150	15	150
							300	20	300
							500	20	500
						65A	800	50	800
						ACHIEVEMENT SEC, SDC, LGD, HYNIX, BOE TIANMA, COST, TRULY,			
						DELIVERY * Standard : 3 weeks * Project : 4-5 weeks			






Change the world



SEBA-Flowmeter

Enjoy your stylish business and Change the world with SEBA

WET STATION ITEM

1	 SVF-PA-MF	MATERIAL & TEMP. PFA 60°C	CONNECTION Male FLARE [MF]	POWER DC 24V 4-20mA OUTPUT ALARM	SIZE 1/2", 3/4" 1/1"	FLOW RANGE ACHIEVEMENT			
						SIZE	Marking	Flow Range (LPM)	
2	 SVF-PC-U(P,F)	PVC 50°C	UNION,FEMAL [U], [P], FLANGE [F]	DC 24V 4-20mA OUTPUT ALARM	1/2", 3/4", 1/1",1.1/4", 1.1/2", 2/1"	1/2"	3/4"	1/1"	32A
						010	030	080	120
3	 SVF-SL-F	SUS 304 60°C	FLANGE [F]	DC 24V 4-20mA OUTPUT ALARM	1/2", 3/4", 1/1",1.1/4", 1.1/2", 2/1"	40A	50A		
						300	500	80	500
4	 SVF-SL-MT	SUS304 60°C	Male PT [MT]	DC 24V 4-20mA OUTPUT ALARM	3/4", 1/1"	ACHIEVEMENT SDC, LGD, HYNIX, BOE TIANMA, COST, TRULY,GVO CEC_PANDA			
5	 SFSR-AL-NP	ALUMINUM 90°C	NPT [NP]	DC 24V 4-20mA OUTPUT ALARM	1/2" 3/4" 1/1"	DELIVERY * Standard : 2 weeks * Project : 3-4 weeks			







Change the world



SEBA-Flowmeter

Enjoy your stylish business and Change the world with SEBA













SPECIAL ITEM & INDICATOR

	IMAGE	MATERIAL	CONNECTION	FEATURE	SIZE	ACHIEVEMENT	DELIVERY
1	 SCTHF-PE-MP	PTFE 135°C	PILLAR SUPER 300 [MP]	HIGH TEMP. CHEMICAL	1/2", 3/4" 1/1"	SK Hynix	* Standard : 3 weeks * Project : 4~5 weeks
2	 SCHHF-SL-T	SUS 304 190°C	TUBE [T]	HIGH TEMP. CHILLER PART	1/2", 3/4", 1/1"	SEC, SDC, LG Display BOE, TIANMA	
3	 SUFPC Series	Ultrasonic Flowmeter (비방폭형) 1. Power : DC 20~30 2. Output: 4-20mA, 1~5V 3. Community: RS-485 (Modbus) 4. Function: Alarm, Reset, Pause 5. Accuracy : ±0.5 ~ 1% of rate(F.S)			1/2", 3/4", 1/1", 25A, 32A, 40A, 50A	SEC, SDC, LG Display BOE, TIANMA	
4	 SUFEX Series	Ultrasonic Flowmeter EX (방폭형) 1. Power : DC 20~30 2. Output: 4-20mA, 1~5V 3. Community: RS-485 (Modbus) 4. Function: Alarm, Reset, Pause 5. Accuracy : ±0.5 ~ 1% of rate(F.S) 6. 인증서: 한국, 중국 보유			20A, 25A, 32A, 40A, 50A	LG Display, BOE	
5	 SCTF-DI6	Instantaneous and Totalized Value Display 1. Power : DC 24V. 2. Output: 4-20mA, Pulse 3. Option: BCD, RS-232C, RS-485 (Select one) 4. Function: Alarm, Reset, Pause 5. Display: 0 ~ 99999			 SCTF-DL5(R)/DL3N	Instantaneous Value Display 1. Power : DC 24V. 2. Output: 4-20mA, Pulse 3. Function: Alarm, Reset 4. Display: 0 ~ 20000	

SEBA-Performance

Enjoy your stylish business and Change the world with SEBA

SEMI, LCD, OLED Performance

NO	CCSS	ETCHER	CLEAN	COATER	DEVELOPER	STRIPPER
VIEW						
Definition	Equipment applied to semiconductors/display, solar energy facilities, etc. by providing ultra-precision chemicals and blending functions	Display Panel Manufacturing etching	Display Panel Manufacturing Cleaning	Facilities responsible for drying, application, and status process during the Display Panel manufacturing process	Phenomenon equipment is a device that develops photoresist in the Photolithography Process during the LCD/OLED manufacturing process.	This equipment is required to remove the remaining photosensitive material from the metal film after etching
SEBA FLOW-METER						
SEBA MODEL	<ul style="list-style-type: none"> * SCTSF-PE Series * SCTSF-SL Series (방폭용) * SUFPC Series (초음파) 	<ul style="list-style-type: none"> * SVF-SS Series * SDVF-SS Series 	<ul style="list-style-type: none"> * SVF-PC Series * SDVF-PC Series * SCTUF-PC Series * SCTDF-PC Series 	<ul style="list-style-type: none"> • SCTSF-SS Series • SCTDF-SS Series 	<ul style="list-style-type: none"> * SVF-PC Series * SDVF-PC Series * SCTUF-PC Series * SCTDF-PC Series 	<ul style="list-style-type: none"> * SCTSF-SS Series * SCTDF-SS Series * SCTSF-SL Series



Change the world





SEBA-PFA Valve

Enjoy your stylish business and Change the world with SEBA

Standard Valve

Image		Material	Connection & Size	Delivery	Sales	Note
 <p>Auto Valve</p>	 <p>Manual Valve</p>	PFA	<ul style="list-style-type: none"> * Connection - Flare, Pipe Welding * Size 1/4", 3/8", 1/2", 3/4", 1/1" 	<ul style="list-style-type: none"> * Standard - 1Week * Project - 3Weeks 	<ul style="list-style-type: none"> * SAMSUNG - GODUK * LGD - P6,P7,P8,P9 * HYNIX - Wuxi * BOE - B2,B3,B5,B7 B17 * TIANMA - 5.5G, 6G 	

Big Size Valve

Image		Material	Connection & Size	Delivery	Sales	Note
 <p>Auto Valve</p>	 <p>Manual Valve</p>	PFA	<ul style="list-style-type: none"> * Connection - Flare, Pipe Welding * Size - 1.1/4", 1.1/2", 2/1" - 40A, 50A 	<ul style="list-style-type: none"> * Standard - 1Week * Project - 3Weeks 	<ul style="list-style-type: none"> * BOE - B7, B17 	


Change the world




SEBA-PFA Valve

Enjoy your stylish business and Change the world with SEBA

Functional Valve

Image	Material	Connection & Size	Delivery	Sales	Note
 <p>Adjustment Valve By-pass Valve Adjustment + By-pass Valve</p>	PFA	<ul style="list-style-type: none"> * Connection Flare, Pipe Welding * Size 1/4", 3/8", 1/2", 3/4", 1/1" 	<ul style="list-style-type: none"> * Standard 1Week * Project 3Weeks 	<ul style="list-style-type: none"> * LGD - P7,P8,P9 * BOE - B2,B3,B5 	


RIW Valve (Ring Inner Welding)

Image	Material	Connection & Size	Delivery	Sales	Note
 <p>RIW Valve Flare-Tube Valve RIW Tube Valve</p>	PFA	<ul style="list-style-type: none"> * Connection RIW (=Ring Inner Welding) * Size 1/4", 3/8", 1/2", 3/4", 1/1" 	<ul style="list-style-type: none"> * Standard 1Week * Project 3Weeks 	<ul style="list-style-type: none"> * SAMSUNG - 16,17Line - Goduk * SDC - T8 	


SEBA-PFA Valve

Enjoy your stylish business and Change the world with SEBA

Block Valve

Image	Material	Connection & Size	Delivery	Sales	Note
 <p>SSM Series</p>	PTFE	<ul style="list-style-type: none"> * Connection - Flare * Size - 1/2", 3/4", 1/1" - 이경 TYPE생산가능 	<ul style="list-style-type: none"> * Standard - 1Week * Project - 3Weeks 	<ul style="list-style-type: none"> * SAMSUNG - 16Line - 17Line - Goduk - Xian (China) - Austin (USA) 	* For Slurry

Special Valve

Image	Material	Connection & Size	Delivery	Sales	Note
 <p>3Way Valve 6Way Valve</p>	PTFE	<ul style="list-style-type: none"> * Connection - Male Flare * Size - 1/2", 3/4", 1/1" 	<ul style="list-style-type: none"> * Standard 1Week * Project 3Weeks 	<ul style="list-style-type: none"> * SAMSUNG - 12,13Line * LGD - P8 	

SEBA-PT Sensor





Enjoy your stylish business and Change the world with SEBA

TRATOM Series

					
MSP1000, For HF (MSP-1010S)	MSP-2000, For HF (MSP-2010S)	MSP-3000, For HF (MSP-3010)	MSP-5000, For HF	MSP-6000,	MSP-7000 For HF (MSP-7010S)
<ul style="list-style-type: none"> ■ Remark: ◆ Non Display. ◆ Connection Type PT,MF (1/4",3/8" 1/2") ◆ wire : 2Wire 	<ul style="list-style-type: none"> ■ Remark : ◆ Display.(3Digit) ◆ Connection Type PT,MF (1/4",3/8", 1/2") ◆ wire : 2 Wire 	<ul style="list-style-type: none"> ■ Remark : ◆ Display.(4Digit) ◆ Connection Type PT,PF (1/4",3/8", 1/2") ◆ Alarm 출력 	<ul style="list-style-type: none"> ■ Remark : ◆ Non Display. ◆ Connection Type PT,MF (1/4",3/8" 1/2") ◆ explosion proof certification 	<ul style="list-style-type: none"> ■ Remark : ◆ Display.(4Digit) ◆ Connection Type PT,MF (3/4", 1/1") ◆ wire : 4 Wire 	<ul style="list-style-type: none"> ■ Remark ◆ Display. (4Digit, LED BAR GRAPH) ◆ Connection Type PT,PF (3/4",1/1") ◆ Alarm (출력, 설정치 표시) ◆ explosion proof
<ul style="list-style-type: none"> ■ Common : ① Applied : Super acid, Super Alkaline, Super Pure Water. available. ② Working Pressure : 0 ~ 8kgf/cm² ③ Tem. : 0 ~ 60°C ④ Power Source : DC 18 ~ 30V. ⑤ Accuracy : ±0.5% F.S ⑥ Out put : 4 ~ 20mA ⑦ Load Resistance : 500Ω at DC 24V. 					
<ul style="list-style-type: none"> ■ Performance : LGD, LG electronic, SDI, SK Siltron, HYUNDAI HEAVY INDUSTRIES KCTECH, STI, Hanyang ENG. 					

SEBA-PFA Tube

Enjoy your stylish business and Change the world with SEBA

Item	Straight & Roll Type	Manufacture (Clean room)	Item
VIEW			VIEW
Material	DuPont 451 HP-J, 951 HP-J 	1,000 Class	CLEAN ROOM CLASS
Quality Guarantee	Quality assurance from Dupont if product defect occurs (Quality Assurance Directly from Dupont)		VIEW
Equipment	Use of Japanese extrusion equipment - Same equipment used by Japanese tube manufacturers such as Flowell, Pillar, and Nicheas		
Delivery	2~3 Weeks After Order		
Size	1/4" ~ 2/1"		
Quality Data	Chemical Anti, Tubing Evaluation Summary		
Achievement	SAMSUNG SEMI (30,000M), SMASUNG DISPLAY (40,000M)		





Change the world



TLG Technology Pte Ltd

1 Yishun Industrial Street 1 #03-31, A'POSH BizHub Singapore 768160

Tel: +65-6339 3988 Fax: +65-6339 1383 Website: www.tlg.sg




S/N	PRODUCT	TYPE	MATERIAL	MODEL NO.	IMAGE
1				SCTPF-PE-□□□-MP3/8-□□□-P	
2				SCTPF-PE-MP1/4	
3				SCTSf-PE-MP1/1	
4				SCTSf-PE-□□□-MP3/8-□□□-P	
5				SCTSf-PE-□□□-MP1/2-□□□-P	
6				SCTSf-PE-□□□-MP3/4-□□□-P	
7				SCTSf-PE-□□□-MP1/1-□□□-P	
8				SCTSf-PF-015-MP3/8"-DI-F	
9				SCTF-PF-015-P3/8"-ALN	
10				SCTSf-PF-050-MP3/4"-DI-F	
11				SCTF-PF-015-P3/8"-ALN	
12				SCTSf-SL-PU3/4-EXP	
13				SCTSf-PE-MP-(EXP)	







Turbine Flowmeter











PTFE









Explosion Proof

14	Flowmeter	Vortex Flowmeter	SUS	SCTSF-SL-P3/4-CMN	
15			SUS	SCHHF-SS-P3/4 SHTF-SS-PU3/4 *2EA SLTF-SS-PU3/4 *2EA	
16			AL	SFSR-SL-NT1/1-E	
17			PVC	SDVF-PC-U3/4	
18				SDVF-PC-U1/1	
19				SDVF-PC-U1.1/4	
20				SDVF-PC-U1.1/2	
21				SDVF-PC-U2/1	
22				SUS	SVF-SS-MT1/1
23			SUS	SDVF-SS-F1/1	
24				SVF-PA-MF1/1	
25				SDVF-PA-MF3/4	

26		PFA	SVF-PA-MF020-MF1/2-P	
27	SVF-PA-MF050-MF3/4-P			
28	SVF-PA-MF100-MF1/1-P			
29	SDVF-PA-MF020-MF1/2-P			
30	SDVF-PA-MF050-MF3/4-P			
31	SDVF-PA-MF100-MF1/1-P			
32	PVC	SCTDF-PC-120-U1/1-E		
33		SCTUF-PC-120-U1/1-V		
34	Auto Valve	AL	FSVD-AL-P3/4	
35		PFA	SANC-PA-MF008	
36			SANC-PA-MF010	
37			SANC-PA-MF015	
38			SANC-PA-MF020	
39			SANC-PA-MF025	
40		PFA	SANC-PA-MF008-A-0	
41			SANC-PA-MF010-A-0	
42			SANC-PA-MF015-A-0	
43			SANC-PA-MF020-A-0	
44			SANC-PA-MF025-A-0	
45			SANC-3PEA-MF010-A-0	
46			SANC-PA-MF020-A-1	

47	Manual Valve	PFA	SM-PA-MF008-C	
48			SM-PA-MF010-C	
49			SM-PA-MF015-C	
50			SM-PA-MF020-C	
51			SM-PA-MF025-C	
52		PTFE	SANC-PE-M008-A-0	
53			SANC-PE-M010-A-0	
54			SANC-PE-M015-A-0	
55			SANC-PE-M020-A-0	
56			SANC-3PE-M010-A-0	
57			SANC-PE-M020-A-1	
58	Special Valve	Block Valve	SSM-4P-MF020	
59		Adjustable	SANC-PA-MP015-A-1	
60		Adjust+ by-pass	SANC-PA-MF015-A-2	
61			3 WAY	SANC-3PEA-MF015-A-0

62	Drain Valve	PVC	SD-PC-U□□□-D-6-6	
63		PVC	SSD-PP-U040-D-1	
64	Auto Valve (ULTRA Series)	PFA	ULTRA Series 1/4"~1/1"	
65			ULTRA Series 1.1/2", 2/1"	
66	Manual Valve	PFA	SANC-PA-UF1.1/2-A-0	
67			ULTRA Series 1/4"~1/1"	
68			ULTRA Series 40A, 50A	
69			SANC-PA-B040-A-0	
70		EX	SUFEX	
71		General	SUFPC	

72	Flowmeter	Ultrasonic Flowmeter	General	CLUF 1/4" *1EA, 3/4" *2EA		
73			General	CLUF 1/4"~ 50A		
74			General	CLUF Indicator		
75	Indicator	Integration		SCTF-DL3		
76		Inspection/Fleeting		SCTF-DI7		
77				SCTF-DL5		
78				SCTF-C4		
79		Indicator- Totalizer			SCTF-DL5	
80					SCTF-DL3N	
81				SCTF-DI7		
82	PT Sensor	PT SENSOR	PTFE	MSP1000-PE-MF1/4		
83				MSP2000-PE-MF1/4		
84			SUS	MSP3000-PE-F3/4		

85			PTFE	MSP1000-PE-MF3/8-8K-D24	
86		MSP2000 Series			
87		MSP5000-SS-PT1/4			
88		PTGAUGE		MSP7000-PE-F3/4	
89	PFA Tube	PFA Tubing	PTFE	8", 1/4", 1/2", 3/4", 1" PFA Tubes	
90	PFA Fitting	Ultra Fitting	PFA	Stright (1.1/4, 1.1/2, 2/1")	
91				Elbow (1/4, 3/4, 1/1, 2/1")	
92				TEE 2/1"	

TLG Technology Pte Ltd

1 Yishun Industrial Street 1, #03-31 A'POSH BIZHUB, Singapore 768160

Tel: 65-6339 3988 Fax: 65-6339 1383 Website: www.tlg.sg Email: sales@tlg.sg

<i>Pump Model</i>	<i>Pos.</i>	<i>Component</i>	<i>Article Name</i>	<i>Article Number</i>
BPS-i30	1a	Pump Head	LPP-30.1 (Standard)	100-90828
	1b	Pump Head	LPP-30.3 (High Pressure)	100-91213
	1c	Pump Head	LPP-30.6 (High Flow)	100-91315
	2a	Integrated Pump Driver ("OEM Models")	IPD-30.1-50-01 (Epoxy, Standard)	100-10075
			IPD-30.1-50-03 (Epoxy, High Pressure)	100-10124
			IPD-30.1-50-04 (Epoxy, High Flow)	100-10117
	2b	Integrated Pump Driver ("OEM Models")	IPD-30.2-50-01 (ETFE, Standard)	100-10076
			IPD-30.2-50-03 (ETFE, High Pressure)	100-10125
			IPD-30.2-50-04 (ETFE, High Flow)	100-10121
	2c	Integrated Pump Driver ("EasyConnect")	IPD-30.3-01 (Epoxy, Standard)	100-10095
			IPD-30.3-03 (Epoxy, High Pressure)	100-10126
			IPD-30.3-04 (Epoxy, High Flow)	100-10118
2d	Integrated Pump Driver ("EasyConnect")	IPD-30.4-01 (ETFE, Standard)	100-10096	
		IPD-30.4-03 (ETFE, High Pressure)	100-10127	
		IPD-30.4-04 (ETFE, High Flow)	100-10122	
2e	Integrated Pump Driver ("Stand-Alone")	IPD-30.5-01 (Standard)	100-10092	
		IPD-30.5-03 (High Pressure)	100-10128	
		IPD-30.5-04 (High Flow)	100-10119	
2f	Integrated Pump Driver ATEX/IECEx	IPD-30.12-50-01 (ETFE, Standard)	100-10156	
		IPD-30.12-50-03 (ETFE, High Pressure)	100-10169	
		IPD-30.12-50-04 (ETFE, High Flow)	100-10170	
BPS-iF30	1a	Pump Head	LPP-30.1 (Standard)	100-90828
	1b	Pump Head	LPP-30.3 (High Press)	100-91213
	2a	Integrated Flow Control Driver ("OEM Models")	IFD-30.1-50-01 (Standard)	100-10094
			IFD-30.1-50-03 (High Press.)	100-10142
	2b	Integrated Flow Control Driver ("OEM Models")	IFD-30.2-50-01 (Standard)	100-10099
			IFD-30.2-50-03 (High Press.)	100-10143
2c	Integrated Flow Control Driver ("EasyConnect" Models)	IFD-30.4-01 (Standard)	100-10172	
		IFD-30.4-03 (High Press.)	100-10173	

	2d	Integrated Flow Control Driver ("EasyConnect" Models)	IFD-30.7-01 (Standard) IFD-30.7-03 (High Press.)	100-10176 100-10177
	2e	Integrated Flow Control Driver ("Stand-Alone" Model)	IFD-30.5-01 (Standard) IFD-30.5-03 (High Pressure)	100-10174 100-10175
	2f	Integrated Flow Control Driver ATEX/IECEX	IFD-30.9-50-01 (ETFE, Standard) IFD-30.9-50-03 (ETFE, High Press.)	100-10158 100-10178
BPS-i100	1	Pump Head	LPP-200.7	100-90708
	2a	Integrated Pump Driver ("OEM Models")	IPD-100.1-50-01	100-10069
	2b	Integrated Pump Driver ("OEM Models")	IPD-100.2-50-01	100-10071
	2c	Integrated Pump Driver ("EasyConnect" Models)	IPD-100.4-01	100-10108
	2d	Integrated Pump Driver ("EasyConnect" Models)	IPD-100.5-01	100-10109
	2e	Integrated Pump Driver ("Stand-Alone" Model)	IPD-100.6-01	100-10101
	2f	Integrated Pump Driver ("OEM" ATEX Model)	IPD-100.10-50-01	100-10154
BPS-iF100	1	Pump Head	LPP-200.7	100-90708
	2a	Integrated Flow Control Driver ("OEM" Models)	IFD-100.1-50-01 (Epoxy/PVC)	100-10079
	2b	Integrated Flow Control Driver ("OEM" Models)	IFD-100.2-50-01 (ETFE/FEP)	100-10080
	2c	Integrated Flow Control Driver (ATEX "OEM" Model)	IFD-100.8-50-01 (ETFE/FEP, ATEX)	100-10152
BPS-200	1a	Pump Head	LPP-200.1 (High Viscosity/Density)	100-90281
	1b	Pump Head	LPP-200.11	100-90702
	1c	Pump Head	LPP-200.10 (Antistatic) (Improved priming/bubble behavior)	100-90684
	2a	Motor	BSM-1.4	100-10005
	2b	Motor	BSM-1.3	100-10004
	2c	Motor (ATEX / IECEX)	BSM-1.6	100-10063
	3a	Standalone Controller (User Panel)	LPC-200.1	100-30008
	3b	Extended Controller (PLC and USB)	LPC-200.2	100-30009
	1a	Pump Heads	LPP-600.1 (PTFE)	100-90242
	1b	Pump Heads	LPP-600.23 (Antistatic)	100-90983
	1c	Pump Heads	LPP-600.17 (PFA)	100-90553
	1d	Pump Heads	LPP-600.29 (PFA)	100-91403
	1e	Pump Heads	LPP-600.26 (Stainless Steel)	100-91321

BPS-600	2a	Motor	LPM-600.2	100-10025
	2b	Motor (ATEX / IECEx)	LPM-600.4	100-10038
	2c	Motor (ATEX / IECEx)	LPM-600.12	100-10149
	3a	Standalone Controller (User Panel)	LPC-600.1 LPC-600.1-07	100-90315 100-30089
	3b	Extended Controller (PLC and USB)	LPC-600.2 LPC-600.2-07	100-90314 100-30090
BPS-2000 BPS-2000S	1a	Pump Head "High Flow Profile"	LPP-2000.22	100-91415
	1b	Pump Head Antistatic "High Flow Profile"	LPP-2000.14	100-90985
	1c	Pump Head "High Pressure Profile"	LPP-2000.7	100-90419
	1d	Pump Head (Metallic) "High Pressure Profile"	LPP-2000.20	100-91424
	1e	Pump Head (Sealless) "Hybrid Profile"	LPP-2000.21	100-91495
	2a	Motor	LPM-2000.2	100-10050
	2b	Motor (ATEX, IECEx)	LPM-2000.8	100-10060
	2c	Motor (ATEX, IECEx)	LPM-2000.15	100-10164
	2d	Motor (Watercooling, ATEX, IECEx)	LPM-2000.18	100-10181
	2e	Motor (HazLoc)	LPM-2000.9	100-10112
	2f	Motor (HazLoc)	LPM-2000.17	100-10166
			LPC-2000.1-01 (HF) LPC-2000.1-02 (HP) LPC-2000.1-14 (HB) LPC-2000.1-12 (HP)	100-30018 100-30019 100-30113 100-30098
	3a	Standalone Controller (User Panel)	LPC-2000S.1-01 (HF) LPC-2000S.1-02 (HP) LPC-2000S.1-14 (HB) LPC-2000S.1-12 (HP)	100-30164 100-30165 100-30167 100-30166

	3b	Extended Controller (PLC and USB)	LPC-2000.2-01 (HF) LPC-2000.2-02 (HP) LPC-2000.2-14 (HB) LPC-2000.2-12 (HP) LPC-2000S.2-01 (HF) LPC-2000S.2-02 (HP) LPC-2000S.2-14 (HB) LPC-2000S.2-12 (HP)	100-30021 100-30022 100-30114 100-30094 100-30136 100-30131 100-30117 100-30137
BPS-4000 BPS-4000.S	1a	Pump Head	LPP-4000.7 (Flange)	100-91242
	1b	Pump Head	LPP-4000.8 (Pillar)	100-91241
	2a	Motor	LPM-4000.2	100-10043
	2b	Motor (ATEX, IECEx)	LPM-4000.8	100-10048
	2c	Motor (ATEX, IECEx)	LPM-4000.12 (watercool)	100-10183
	2d	Motor (HazLoc)	LPM-4000.10 (ETFE)	100-10115
	3a	Standalone Controller (User Panel)	LPC-4000.1 LPC-4000S.1	100-90370 100-30156
	3b	Extended Controller (PLC and USB)	LPC-4000.2 LPC-4000S.2	100-90371 100-30156
BPS-4	1	Pump Head	CP-4.5	100-90230
	2a	Motor	BSM-4.1	100-10007
	2b	Motor	BSM-4.2-30	100-10011
	3a	Controller	LC325	100-30003
	3b	Controller	LC325P	100-30011
DuraLev 600	1a	Pump Head	LPP-600.5 (PP, NPT 1")	100-90261
	1b	Pump Head	LPP-600.13 (PVDF, NPT 1")	100-90539
	2a	Motor	LPM-600.1	100-10021
	2b	Motor (ATEX / IECEx)	LPM-600.5	100-10039
	3a	Standalone Controller (User Panel)	LPC-600.1	100-30005
	3b	Extended Controller (PLC and USB)	LPC-600.2	100-30004
	1a	Single-Use (SU) Pump Head	DCP-30.2 (Barb)	100-90968
	1b	Single-Use (SU) Pump Head	DCP-30.1 (Triclamp)	100-90959
	1c	Irradiated SU Pump Head	DCP-30.2-G25 (Barb)	100-91071

PuraLev i30SU	1d	Irradiated SU Pump Head	DCP-30.1-G25 (Triclamp)	100-91170
	1e	Irradiated SU Pump Head with Sterile Fittings	DCP-30.2-SF1-G25	100-91234
	2a	Integrated Pump Driver ("OEM Model")	IPD-30.1-50-02	100-10088
	2b	Integrated Pump Driver ("EasyConnect" Model)	IPD-30.3-02 (MBP-i30.1 included)	100-10097
	2c	Integrated Pump Driver ("Stand-Alone" Model)	IPD-30.5-02 (MBP-i30.1 included)	100-10098
	2d	Integrated Pump Driver ATEX / IECEx ("OEM Model" only)	IPD-30.12-50-02	100-10203
	3	Pump Head Socket	PHS-i30.1	100-90947
PuraLev iF30SU	1a	Disposable Pump Head	DCP-30.2 (Barb)	100-90968
	1b	Disposable Pump Head	DCP-30.1 (Triclamp)	100-90959
	2a	Integrated Flow Control Driver ("OEM Model")	IFD-30.3-02	100-10130
	2b	Integrated Flow Control Driver ("EasyConnect" Model)	IFD-30.4-02 (MBP-i30.1 included)	100-10131
	2c	Integrated Flow Control Driver ("Stand-Alone" Model)	IFD-30.5-02 (MBP-i30.1 included)	100-10132
	3	Pump Head Socket	PHS-i30.1	100-90947
PuraLev i100SU	1a	Single-Use (SU) Pump Heads	DCP-200.2 (Triclamp)	100-90734
	1b	Single-Use (SU) Pump Heads	DCP-200.3 (Barb)	100-90792
	1c	Single-Use (SU) Pump Heads	DCP-200.2-G25	100-91078
	1d	Single-Use (SU) Pump Heads	DCP-200.3-G25	100-91122
	1e	SU Pump Head with Sterile Fittings	DCP-200.3-SF1-G25	100-91233
	2a	Integrated Pump Driver ("OEM Model")	IPD-100.1-50-02	100-10070
	2b	Integrated Pump Driver ("EasyConnect" Model)	IPD-100.4-02	100-10111
	2c	Integrated Pump Driver ("Stand-Alone" Model)	IPD-100.6-02	100-10106
	2d	Integrated Pump Driver ("OEM ATEX" Model)	IPD-100.10-50-02	100-10201
3	Pump Head Socket	PHS-i100.1	100-91053	
PuraLev iF100SU	1a	Single-Use Pump Heads	DCP-200.2 (Triclamp)	100-90734
	1b	Single-Use Pump Heads	DCP-200.3 (Barb)	100-90792
	1c	Single-Use Pump Heads	DCP-200.2-G25	100-91078
	1d	Single-Use Pump Heads	DCP-200.3-G25	100-91122
	2a	Integrated Flow Control Driver ("OEM" Model)	IFD-100.4-02	100-10138
	2b	Integrated Flow Control Driver ("EasyConnect" Model)	IFD-100.5-02	100-10139
	2c	Integrated Flow Control Driver ("Stand-Alone" Model)	IFD-100.6-02	100-10140

	3	Pump Head Socket	PHS-i100.1	100-91053
PuraLev 200SU	1a	Single-Use (SU) Pump Head	DCP-200.2 (Triclamp)	100-90734
	1b	Single-Use (SU) Pump Head	DCP-200.3 (Barb)	100-90792
	1c	Single-Use (SU) Pump Head	DCP-200.2-G25	100-91078
	1d	Single-Use (SU) Pump Head	DCP-200.3-G25	100-91122
	1e	SU Pump Head with Sterile Fittings	DCP-200.3-SF1-G25	100-91233
	2a	Motor	BSM-1.4	100-10005
	2b	Motor (ATEX / IECEx)	BSM-1.6	100-10063
	3	Pump Head Socket	PHS-200.1	100-90695
	4a	Standalone Controller (User Panel)	LPC-200.1-01	100-30027
	4b	Extended Controller (PLC and USB)	LPC-200.2-01	100-30028
PuraLev 600SU	1a	Single-Use (SU) Pump Heads	DCP-600.2	100-90784
	1b	Single-Use (SU) Pump Heads	DCP-600.2-G25	100-91079
	1c	SU Pump Head with Sterile Fittings	DCP-600.2-SF1-G25	100-91294
	2a	Motor (ATEX / IECEx)	LPM-600.5	100-10039
	2b	Motor (ATEX / IECEx)	LPM-600.4	100-10038
	3	Pump Head Socket	PHS-600.1	100-90696
	4a	Standalone Controller (User Panel)	LPC-600.1-01 (Power supply cable and Enable c	100-30039
	4b	Extended Controller (PLC and USB)	LPC-600.2-01 (Power supply cable and PLC con	100-30040
PuraLev 2000SU	1a	Single-Use Pump Head	DCP-2000.2	100-90889
	1b	Single-Use Pump Head	DCP-2000.2-G25	100-91080
	1c	SU Pump Head with Sterile Fitting	DCP-2000.2-SF1-G25	100-91595
	2a	Motor (ATEX, IECEx)	LPM-2000.7	100-10059
	2b	Motor (ATEX, IECEx)	LPM-2000.8	100-10060
	3	Pump Head Socket	PHS-2000.2	100-90891
	4a	Standalone Controller (User Panel)	LPC-2000.1-04 (Power supply and Enable conn	100-30064
	4b	Extended Controller (PLC and USB)	LPC-2000.2-04 (Power supply and PLC connect	100-30065
	1a	Multi-Use Pump Heads	LPP-200.17 (With drain port)	100-90864
	1c	Multi-Use Pump Heads	LPP-200.16 (No drain port)	100-90863
	2a	Integrated Pump Driver ("OEM Model")	IPD-100.1-50-03	100-10134

PuraLev i100MU	2b	Integrated Pump Driver ("EasyConnect" Model)	IPD-100.4-03	100-10135
	2c	Integrated Pump Driver ("Stand-Alone" Model)	IPD-100.6-03	100-10136
	2d	Integrated Pump Driver ("OEM ATEX" Model)	IPD-100.10-50-03	100-10202
	3	Autoclaving Reinforcing Tool	ART-200.1	190-10280
PuraLev 200MU	1a	Multi-Use Pumpheads	LPP-200.17 (with drain port)	100-90864
	1b	Multi-Use Pumpheads	LPP-200.16 (without drain port)	100-90863
	2a	Motor	BSM-1.4	100-10005
	2b	Motor (ATEX)	BSM-1.6	100-10063
	3a	Standalone Controller (User Panel)	LPC-200.1-02 (Enable connector included)	100-30030
	3b	Extended Controller (PLC and USB)	LPC-200.2-02 (PLC connector included)	100-30031
PuraLev 600MU	1a	Multi-Use Pump Heads (PVDF)	LPP-600.7 (with drain port)	100-90287
	1b	Multi-Use Pump Heads (PVDF)	LPP-600.18 (without drain port)	100-90548
	1c	Multi-Use Pump Heads (Stainless Steel)	LPP-600.27 (without drain port)	100-91319
	2a	Motor (ATEX / IECEX)	LPM-600.5	100-10039
	2b	Motor (ATEX / IECEX)	LPM-600.13	100-10150
	2c	Motor (ATEX / IECEX)	LPM-600.4	100-10038
	2d	Motor (ATEX / IECEX)	LPM-600.12	100-10149
	3a	Standalone Controller (User Panel)	LPC-600.1-06 (Power cable and PLC connector incl.)	100-30033 100-30086
	3b	Extended Controller (PLC and USB)	LPC-600.2-06 (Power cable and PLC connector incl.)	100-30034 100-30087
	PuraLev 2000MU	1a	Multi-Use Pump Heads (PVDF)	CP-4.11 (with drain port)
1b		Multi-Use Pump Heads (PVDF)	CP-4.19 (without drain port)	100-90458
1c		Multi-Use Pump Head (Stainless Steel)	LPP-2000.25 (with drain port)	100-91545
1d		Multi-Use Pump Head (Stainless Steel)	LPP-2000.19 (without drain port)	100-91446
2a		Motor (ATEX, IECEX)	LPM-2000.7 (Epoxy)	100-10059
2b		Motor (ATEX, IECEX)	LPM-2000.8 (ETFE)	100-10060
2c		Motor (ATEX, IECEX)	LPM-2000.14 (Epoxy)	100-10163
2d		Motor (ATEX, IECEX)	LPM-2000.15 (ETFE)	100-10164
2e		Motor (HazLoc)	LPM-2000.9 (ETFE)	100-10112
2f		Motor (HazLoc)	LPM-2000.17 (ETFE)	100-10166

	3a	Standalone Controller (User Panel)	LPC-2000.1-05 LPC-2000.1-13	100-30036 100-30096
	3b	Extended Controller (PLC and USB)	LPC-2000.2-05 LPC-2000.2-13	100-30037 100-30095
PuraLev 4000MU	1	Multi-Use Pump Head	LPP-4000.3	100-90821
	2a	Motor (ATEX)	LPM-4000.7 (Epoxy)	100-10047
	2b	Motor (ATEX)	LPM-4000.8 (ETFE)	100-10048
	2c	Motor (HazLoc)	LPM-4000.11 (Epoxy)	100-10116
	2d	Motor (HazLoc)	LPM-4000.10 (ETFE)	100-10115
	3a	Standalone Controller (User Panel)	LPC-4000.1-05 (Power supply and Enable connect	100-90820
	3b	Extended Controller (PLC and USB)	LPC-4000.2-05 (Power supply and PLC connect	100-90811